

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6902	((715/759,764,765,766,768,781,788,790,794,796,797,806,807) or (345/629,634,639) or (358/520)).OCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/26 15:55
L2	4997	L1 and (display\$3 near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L3	2568	L2 and ((control controller controlling) near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L4	2234	L3 and ((control controller controlling) near10 display\$3)	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L5	1484	L4 and ((depth overla\$5 background foreground back front top bottom) near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L6	31	L5 and ((header adj2 packet) near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L7	27	L6 and ((sort\$3 arrang\$3) near8 (data information attribute characteristic)) same ((data information attribute characteristic) near8 (window viewport viewpoint screen)) and ((depth overla\$5 background foreground back front top bottom) near10 (data information attribute characteristic))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L8	27	L7 and ((header adj2 packet) near10 (data information attribute characteristic))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L9	27	L8 and ((header adj2 packet) near10 (image graphic))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L10	27	L9 and (blend\$3 near10 (image graphic)) and ((image graphic) near10 alpha) and (blend\$3 near10 alpha)	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L11	27	L10 and ((header adj2 packet) near10 (send\$3 sent transmit\$6 receiv\$3))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L12	27	L11 and (((control controller controlling) near10 (window viewport viewpoint screen)) near20 (header adj2 packet))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L13	27	L12 and (((control controller controlling) near10 (window viewport viewpoint screen)) same ((sort\$3 arrang\$3) near8 (data information attribute characteristic)))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L14	419733	((display\$3 render\$3 generat\$3) near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L15	121914	L14 and ((control controller controlling manipulat\$3 manag\$3) near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L16	106756	L15 and ((control controller controlling manipulat\$3 manag\$3) near10 (display\$3 render\$3 generat\$3))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55

L17	40055	L16 and ((depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost) near10 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L18	516	L17 and (((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet)) near15 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L19	138	L18 and ((sort\$3 arrang\$3) near12 (data information attribute characteristic) same ((data information attribute characteristic) near12 (window viewport viewpoint screen)) and ((depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost) near12 (data information attribute characteristic)))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L20	136	L19 and (((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet)) near15 (data information attribute characteristic))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L21	84	L20 and (((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet)) near15 (image graphic))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L22	73	L21 and ((blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or alpha) near15 (image graphic))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L23	73	L22 and (((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet)) near12 (send\$3 sent transmit\$6 receiv\$3))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L24	73	L23 and (((control controller controlling manipulat\$3) near10 (window viewport viewpoint screen)) same ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet)))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L25	73	L24 and (((control controller controlling manipulat\$3) near15 (window viewport viewpoint screen)) same ((sort\$3 arrang\$3) near10 (data information attribute characteristic)))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L26	46	L25 not L13	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L27	203077	((control controller controlling manipulat\$3 manag\$3) near15 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L28	83546	L27 and ((switch\$3 depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost) near20 (window viewport viewpoint screen))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55
L29	55553	L28 and ((switch\$3 depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost) near20 (control controller controlling manipulat\$3 manag\$3))	US-PGPUB; USPAT	OR	ON	2008/11/26 15:55

L30	25022	L29 and ((control controller controlling manipulat\$3 manag\$3) near20 (image graphic))	US_PGPUB; USPAT	OR	ON	2008/11/26 15:55
L31	4031	L30 and (((control controller controlling manipulat\$3) and (window viewport viewpoint screen) and (data information attribute characteristic)) same (sort\$3 arrang\$3))	US_PGPUB; USPAT	OR	ON	2008/11/26 15:55
L32	204	L31 and (((control controller controlling manipulat\$3) and (window viewport viewpoint screen) and (data information attribute characteristic)) same ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet)))	US_PGPUB; USPAT	OR	ON	2008/11/26 15:55
L33	201	L32 and (((control controller controlling manipulat\$3) and (window viewport viewpoint screen) and (data information attribute characteristic)) same (graphic image))	US_PGPUB; USPAT	OR	ON	2008/11/26 15:55
L34	92	L33 and ((blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha) near15 (image graphic))	US_PGPUB; USPAT	OR	ON	2008/11/26 15:55
L35	19	L34 not L25 not L13	US_PGPUB; USPAT	OR	ON	2008/11/26 15:55
L36	0	(display\$3 render\$3 general\$3).ab. and (window viewport viewpoint screen).ab. and (control controller controlling manipulat\$3 manag\$3).ab. and (depth overl\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost).ab. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)) and (blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).ab. and (image graphic).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:55
L37	0	(window (view adj1 (port point)) viewport viewpoint screen).ab. and (control controller controlling manipulat\$3 manag\$3).ab. and (switch\$3 depth overl\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost).ab. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)) and (blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).ab. and (image graphic).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:55
L38	0	(window (view adj1 (port point)) viewport viewpoint screen).ab. and (control controller controlling manipulat\$3 manag\$3).ab. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)) and (blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).ab. and (image graphic).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:55

L39	0	(window (view adj1 (port point)) viewport viewpoint screen).ab. and (control controller controlling manipulat\$3 manag\$3).ab. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)).ab. and (blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).ab. and (image graphic).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:55
L40	2	(window (view adj1 (port point)) viewport viewpoint screen).ab. and (control controller controlling manipulat\$3 manag\$3).ab. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)).ab. and (blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).ab.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/26 15:55
L41	7	(display\$3 render\$3 general\$3).clm. and (window (view adj1 (port point)) viewport viewpoint screen).clm. and (control controller controlling manipulat\$3 manag\$3).clm. and (switch depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost).clm. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)).clm. and (blend\$3 (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).clm. and (image graphic).clm.	US_PGPUB	OR	ON	2008/11/26 15:55
L42	2396	((715/759,764,765,766,768,781,788,790,794,796,797,806,807) or (345/629,634,639) or (358/520)).OCLS.	US_PGPUB	OR	OFF	2008/11/26 15:55
L43	2	L42 and (display\$3 render\$3 general\$3) and (switch depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost) and (control controller controlling manipulat\$3 manag\$3) and (window (view adj1 (port point)) viewport viewpoint screen frame).clm. and ((header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header)).clm. and (blend\$3 or (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha).clm. and (image graphic).clm.	US_PGPUB	OR	ON	2008/11/26 15:55

L44	:2	L42 and ((display\$3 render\$3 generat\$3) same (window (view adj1 (port point)) viewport viewpoint screen frame graphic image)).clm. and ((switch depth overla\$5 background foreground back front top bottom frontmost or foremost or backmost or ((front or fore or back or left or right or upper or lower or bottom) adj1 most) or leftmost or rightmost or uppermost or lowermost or bottommost) same (window (view adj1 (port point)) viewpoint viewpoint screen frame)).clm. and ((control controller controlling manipulat\$3 manag\$3) same (window (view adj1 (port point)) viewpoint viewpoint screen frame)).clm. and ((header or (header near6 (packet or ((data information) adj1 packet) or ((data information) near2 control\$4) or data or information)) or (header adj1 packet) or (packet\$4 adj2 header) or packet) same (window (view adj1 (port point)) viewpoint viewpoint screen frame control controller controlling manipulat\$3 manag\$3)).clm. and ((blend\$3 or (alpha adj1 blend\$3) or (translucent adj1 blend\$3) or (alpha adj1 value) or (blend\$3 near8 alpha) or alpha) same (image graphic)).clm.	US-PGPUB	OR	:ON	2008/11/26 15:55
-----	----	--	----------	----	-----	---------------------

11/26/2008 4:12:20 PM

C:\Documents and Settings\xbautista\My Documents\EAST\Workspaces\10622194.wsp